



Outstanding Performance-Superior Quality Antifreeze Chemistry

BTPGHTF

Propylene Glycol Heat Transfer Fluid Inhibitor

DESCRIPTION

BTPGHTF heat transfer fluid is an inhibitor designed for use in applications where propylene glycol/water mixtures are designed for use in hydronic systems. A mixture correctly blended with BTPGHTF is designed to protect metals commonly found in residential and commercial installations such as brass, copper, solder, steel, and cast iron. The BTPGHTF formula also includes an orange dye, for leak detection, and an antifoam to minimize foaming during service. The effectiveness of BTPGHTF blended heat transfer fluid in preventing corrosion has been proven both in use and in extensive laboratory testing. Using BTPGHTF in place of brine solutions or uninhibited glycol/water solutions lowers maintenance costs and improves heat transfer efficiency.

Blended BTPGHTF heat transfer fluid has been formulated with ingredients which are generally recognized as safe (GRAS) by the FDA for use as an aqueous heat transfer medium for closed primary and secondary refrigeration and cooling systems. Components in our formulation conform to the requirements of 21 CFR 184.1666; 21 CFR 182.6285; 21 CFR 74.1705, 74.1706 & 74.2340 as applicable. A letter from the USDA can also be provided upon request.

TYPICAL PROPERTIES

Color	Orange
Density, 60°F, lb/gal	8.75
Flash Point, TOC, °F	225°
pH, 33.33 volume %	9.50
Specific Gravity, 60/60°F	1.054
Reserve Alkalinity	12.0
Freeze Protection, °F	
20% aqueous solution	+18
30% aqueous solution	+8
40% aqueous solution	-8
50% aqueous solution	-27

APPLICATIONS

Line Heaters

BTPGHTF heat transfer fluid recommended for use in line heaters. A line heater circulates a heated fluid around a pipe to raise the temperature of the pipe contents in order to control reactions or ease pumping operations.

Blend Tech, Inc.
3064 Silver Sage Dr Ste 150
Carson City, NV 89701-6099

714-334-8867 714-698-3404 FAX

Snow-Melting and Refrigeration Systems

BTPGHTF heat transfer fluid is recommended for snow-melting systems for loading ramps, walkways, highways, and airfield runways, and as a coolant in ice rinks and air conditioning systems

Combination Heating and Cooling Systems

BTPGHTF heat transfer fluid is recommended in combination heating and cooling systems for large buildings. The excellent corrosion protection afforded by BTPGHTF heat transfer fluid prolongs the life of the piping in these systems. BTPGHTF heat transfer fluid is also excellent for solar energy collection systems.

Thermal Energy Storage Systems

BTPGHTF heat transfer fluid is recommended for use in all thermal energy storage systems. The specially formulated inhibitor package is designed to protect common system metals from corrosion at glycol concentrations as low as 20%.

Blend Tech, Inc.
3064 Silver Sage Dr Ste 150
Carson City, NV 89701-6099

714-334-8867 714-698-3404 FAX